

Lagrangian warm-rain microphysics in libcloudph++

Sylwester Arabas, Anna Jaruga, Piotr Dziekan
Hanna Pawłowska, Wojciech Grabowski

Institute of Geophysics
Faculty of Physics, University of Warsaw

Workshop on Eulerian vs. Lagrangian methods for cloud microphysics
Warsaw, April. 20th 2015

project architects & goals

Hanna Pawłowska, Piotr Smolarkiewicz & Wojtek Grabowski

develop a new LES tool for aerosol-cloud interactions research

project architects & goals

Hanna Pawłowska, Piotr Smolarkiewicz & Wojtek Grabowski

develop a new LES tool for aerosol-cloud interactions research



- ▶ CCN activation
- ▶ condensational growth

project architects & goals

Hanna Pawłowska, Piotr Smolarkiewicz & Wojtek Grabowski

develop a new LES tool for aerosol-cloud interactions research



- ▶ CCN activation
- ▶ condensational growth
- ▶ collisional growth
- ▶ aqueous chemistry

project architects & goals

Hanna Pawłowska, Piotr Smolarkiewicz & Wojtek Grabowski

develop a new LES tool for aerosol-cloud interactions research



- ▶ CCN activation
- ▶ condensational growth



- ▶ collisional growth
- ▶ aqueous chemistry



- ▶ precipitation
- ▶ wet deposition
- ▶ droplet deactivation

project architects & goals

Hanna Pawłowska, Piotr Smolarkiewicz & Wojtek Grabowski

develop a new LES tool for aerosol-cloud interactions research

- ▶ novel cloud/aerosol microphysics models,



- ▶ CCN activation
- ▶ condensational growth



- ▶ collisional growth
- ▶ aqueous chemistry



- ▶ precipitation
- ▶ wet deposition
- ▶ droplet deactivation

project architects & goals

Hanna Pawłowska, Piotr Smolarkiewicz & Wojtek Grabowski

develop a new LES tool for aerosol-cloud interactions research

- ▶ novel cloud/aerosol microphysics models,
- ▶ state-of-the-art numerical schemes,



- ▶ CCN activation
- ▶ condensational growth



- ▶ collisional growth
- ▶ aqueous chemistry



- ▶ precipitation
- ▶ wet deposition
- ▶ droplet deactivation

project architects & goals

Hanna Pawłowska, Piotr Smolarkiewicz & Wojtek Grabowski

develop a new LES tool for aerosol-cloud interactions research

- ▶ novel cloud/aerosol microphysics models,
- ▶ state-of-the-art numerical schemes,
- ▶ modern coding techniques
 - ~~ priorities: researchers' productivity & result reproducibility



- ▶ CCN activation
- ▶ condensational growth



- ▶ collisional growth
- ▶ aqueous chemistry



- ▶ precipitation
- ▶ wet deposition
- ▶ droplet deactivation

Plan of the talk


- design choices and their rationale
- example results with 2D kinematic set-up
- validation of libcloudph++'s Super-Droplet scheme
- summary & future plans

Plan of the talk

- design choices and their rationale
- example results with 2D kinematic set-up
- validation of libcloudph++'s Super-Droplet scheme
- summary & future plans


a few words on first design choices

- ▶ structure the code into “standalone” libraries




a few words on first design choices

- ▶ structure the code into “standalone” libraries
 - ~~ easier to document, to test and to contribute to
 - ~~ easier to be reused by others (in various contexts)




a few words on first design choices

- ▶ structure the code into “standalone” libraries
 - ~~ easier to document, to test and to contribute to
 - ~~ easier to be reused by others (in various contexts)
- ▶ leverage existing **reusable** software



a few words on first design choices

- ▶ structure the code into “standalone” libraries
 - ~~ easier to document, to test and to contribute to
 - ~~ easier to be reused by others (in various contexts)
- ▶ leverage existing **reusable** software
 - ~~ save time, benefit from state-of-the-art components



libmpdata++ & libcloudph++

project target

LES-type tool featuring:

- ▶ robust numerics (MPDATA)
- ▶ particle-based aerosol/warm-rain μ -physics (super-droplet)

libmpdata++ & libcloudph++

project target

LES-type tool featuring:

- ▶ robust numerics (MPDATA)
- ▶ particle-based aerosol/warm-rain μ -physics (super-droplet)

current “products” – C++ libraries

libmpdata++ parallel solvers for systems of transport equations

- ▶ <http://libmpdataxx.igf.fuw.edu.pl/>
- ▶ doi:10.5194/gmd-8-1005-2015

libcloudph++ aerosol/cloud μ -physics algorithm collection

- ▶ <http://libcloudphxx.igf.fuw.edu.pl/>
- ▶ doi:10.5194/gmdd-7-8275-2014

libcloudph++ components

- ▶ single-moment bulk saturation-adjustment scheme with Kessler's coalescence
- ▶ double-moment bulk scheme with predicted supersaturation (Morrison & Grabowski 2007)
- ▶ particle-based scheme with Monte-Carlo coalescence (super-droplet method of Shima et al. 2009)
- ▶ ...


libcloudph++ components

- ▶ single-moment bulk saturation-adjustment scheme with Kessler's coalescence
- ▶ double-moment bulk scheme with predicted supersaturation (Morrison & Grabowski 2007)
- ▶ particle-based scheme with Monte-Carlo coalescence (super-droplet method of Shima et al. 2009)
- ▶ ...




- ▶ CCN activation
- ▶ condensational growth
- ▶ collisional growth
- ▶ aqueous chemistry
- ▶ precipitation
- ▶ wet deposition
- ▶ droplet deactivation


Eulerian vs. Lagrangian μ -physics




Eulerian vs. Lagrangian μ -physics




Eulerian vs. Lagrangian μ -physics




Eulerian vs. Lagrangian μ -physics



Eulerian vs. Lagrangian μ -physics



Eulerian vs. Lagrangian μ -physics





Plan of the talk

- design choices and their rationale
- example results with 2D kinematic set-up
- validation of libcloudph++'s Super-Droplet scheme
- summary & future plans

Plan of the talk

- design choices and their rationale
- example results with 2D kinematic set-up
- validation of libcloudph++'s Super-Droplet scheme
- summary & future plans







libcloudph++: VOCALS-inspired aerosol processing set-up



- ▶ set-up: Grabowski & Lebo (ICMW 2012)
- ▶ 2D prescribed flow
- ▶ advection: [libmpdata++](#) (2-pass FCT)
- ▶ μ -physics: [libcloudph++](#)







libcloudph++: VOCALS-inspired aerosol processing set-up

X









libcloudph++: VOCALS-inspired aerosol processing set-up

XX









libcloudph++: VOCALS-inspired aerosol processing set-up

XXX









libcloudph++: VOCALS-inspired aerosol processing set-up

XXXX









libcloudph++: VOCALS-inspired aerosol processing set-up

XXXXX









libcloudph++: VOCALS-inspired aerosol processing set-up

XXXXXX









libcloudph++: VOCALS-inspired aerosol processing set-up

XXXXXX








libcloudph++: VOCALS-inspired aerosol processing set-up

XXXXXXXXX









libcloudph++: VOCALS-inspired aerosol processing set-up

XXXXXXXXXX








libcloudph++: VOCALS-inspired aerosol processing set-up

XXXXXXXXXX









libcloudph++: VOCALS-inspired aerosol processing set-up

XXXXXXXXXXXX









libcloudph++: VOCALS-inspired aerosol processing set-up

XXXXXXXXXXXX









libcloudph++: VOCALS-inspired aerosol processing set-up

XXXXXXXXXXXXXX









libcloudph++: VOCALS-inspired aerosol processing set-up









libcloudph++: VOCALS-inspired aerosol processing set-up







XXXXXXXXXXXXXXXXXX









libcloudph++: VOCALS-inspired aerosol processing set-up



libcloudph++: VOCALS-inspired aerosol processing set-up









libcloudph++: VOCALS-inspired aerosol processing set-up








libcloudph++: VOCALS-inspired aerosol processing set-up

XXXXXXXXXXXXXXXXXXXX



libcloudph++: VOCALS-inspired aerosol processing set-up


XXXXXXXXXXXXXXXXXXXX



Lagrangian/Monte-Carlo scheme
(Shima et al. 2009)









2-moment bulk scheme
(Morrison & Grabowski 2007)








libcloudph++: VOCALS-inspired aerosol processing set-up

XXXXXXXXXXXXXXXXXXXX



libcloudph++: VOCALS-inspired aerosol processing set-up







XXXXXXXXXXXXXXXXXXXX



Lagrangian/Monte-Carlo scheme
(Shima et al. 2009)







2-moment bulk scheme
(Morrison & Grabowski 2007)

libcloudph++: VOCALS-inspired aerosol processing set-up








libcloudph++: VOCALS-inspired aerosol processing set-up

XXXXXXXXXXXXXXXXXXXX



libcloudph++: VOCALS-inspired aerosol processing set-up









Lagrangian/Monte-Carlo scheme
(Shima et al. 2009)

2-moment bulk scheme
(Morrison & Grabowski 2007)






libcloudph++: VOCALS-inspired aerosol processing set-up

XXXXXXXXXXXXXXXXXXXX



libcloudph++: VOCALS-inspired aerosol processing set-up

XXXXXXXXXXXXXXXXXXXXXXXXXXXX



Lagrangian/Monte-Carlo scheme
(Shima et al. 2009)









2-moment bulk scheme
(Morrison & Grabowski 2007)








libcloudph++: VOCALS-inspired aerosol processing set-up

XXXXXXXXXXXXXXXXXXXXXXXXXXXX









libcloudph++: VOCALS-inspired aerosol processing set-up

XXXXXXXXXXXXXXXXXXXXXXXXXXXX









libcloudph++: VOCALS-inspired aerosol processing set-up

XXXXXXXXXXXXXXXXXXXXXXXXXXXX









libcloudph++: VOCALS-inspired aerosol processing set-up

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXX









libcloudph++: VOCALS-inspired aerosol processing set-up









libcloudph++: VOCALS-inspired aerosol processing set-up

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXX









libcloudph++: VOCALS-inspired aerosol processing set-up

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXX









libcloudph++: VOCALS-inspired aerosol processing set-up

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXX









libcloudph++: VOCALS-inspired aerosol processing set-up









libcloudph++: VOCALS-inspired aerosol processing set-up







XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXo








libcloudph++: VOCALS-inspired aerosol processing set-up



libcloudph++: VOCALS-inspired aerosol processing set-up









libcloudph++: VOCALS-inspired aerosol processing set-up



libcloudph++: VOCALS-inspired aerosol processing set-up







xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxooo








Lagrangian/Monte-Carlo scheme
(Shima et al. 2009)

2-moment bulk scheme
(Morrison & Grabowski 2007)







libcloudph++: VOCALS-inspired aerosol processing set-up



libcloudph++: VOCALS-inspired aerosol processing set-up








libcloudph++: VOCALS-inspired aerosol processing set-up



libcloudph++: VOCALS-inspired aerosol processing set-up




xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxooo



Lagrangian/Monte-Carlo scheme
(Shima et al. 2009)

2-moment bulk scheme
(Morrison & Grabowski 2007)

2×2 cell particle-derived spectra



Plan of the talk

- design choices and their rationale
- example results with 2D kinematic set-up
- validation of libcloudph++'s Super-Droplet scheme
- summary & future plans

Plan of the talk

- design choices and their rationale
- example results with 2D kinematic set-up
- validation of libcloudph++'s Super-Droplet scheme
- summary & future plans

Coalescence module - current status


- ▶ implemented kernels
 - ▶ Golovin
 - ▶ Geometric
 - ▶ Hall
 - ▶ Hall and Davis
- ▶ terminal velocity formulas
 - ▶ Beard
 - ▶ Khvorostyanov
- ▶ execution policies
 - ▶ CPU (serial or OpenMP for multi-core CPUs)
 - ▶ GPU (CUDA for nVidia hardware)

tests following Shima et al. 2009 (section. 6)

Coalescence module - current status

- ▶ implemented kernels
 - ▶ Golovin
 - ▶ Geometric
 - ▶ Hall
 - ▶ Hall and Davis
- ▶ terminal velocity formulas
 - ▶ Beard
 - ▶ Khvorostyanov
- ▶ execution policies
 - ▶ CPU (serial or OpenMP for multi-core CPUs)
 - ▶ GPU (CUDA for nVidia hardware)

Coalescence validation - Golovin kernel (CPU)



volume: 10^6 m^3


LWC: $1 \text{ g}/\text{m}^3$

super-droplets: 2×10^5

Coalescence module - current status

- ▶ implemented kernels
 - ▶ Golovin
 - ▶ Geometric
 - ▶ Hall
 - ▶ Hall and Davis
- ▶ terminal velocity formulas
 - ▶ Beard
 - ▶ Khvorostyanov
- ▶ execution policies
 - ▶ CPU (serial or OpenMP for multi-core CPUs)
 - ▶ GPU (CUDA for nVidia hardware)

Coalescence validation - Golovin kernel (GPU)



volume: 10^6 m^3


LWC: 1 g/m^3

super-droplets: 2×10^5

Coalescence module - current status

- ▶ implemented kernels
 - ▶ Golovin
 - ▶ Geometric
 - ▶ Hall
 - ▶ Hall and Davis
- ▶ terminal velocity formulas
 - ▶ Beard
 - ▶ Khvorostyanov
- ▶ execution policies
 - ▶ CPU (serial or OpenMP for multi-core CPUs)
 - ▶ GPU (CUDA for nVidia hardware)

Coalescence validation - Hall kernel (CPU)



volume: 10^6 m^3


LWC: 1 g/m^3

super-droplets: 2×10^5

Coalescence module - current status

- ▶ implemented kernels
 - ▶ Golovin
 - ▶ Geometric
 - ▶ Hall
 - ▶ Hall and Davis
- ▶ terminal velocity formulas
 - ▶ Beard
 - ▶ Khvorostyanov
- ▶ execution policies
 - ▶ CPU (serial or OpenMP for multi-core CPUs)
 - ▶ GPU (CUDA for nVidia hardware)

Coalescence validation - Hall kernel (GPU)



volume: 10^6 m^3

LWC: $1 \text{ g}/\text{m}^3$

super-droplets: 2×10^5

Plan of the talk

- design choices and their rationale
- example results with 2D kinematic set-up
- validation of libcloudph++'s Super-Droplet scheme
- summary & future plans

Plan of the talk

- design choices and their rationale
- example results with 2D kinematic set-up
- validation of libcloudph++'s Super-Droplet scheme
- summary & future plans

libcloudph++: summary

key features:

- ▶ three schemes (all written from scratch):
 - ▶ 1-moment: Kessler
 - ▶ 2-moment: Morrison & Grabowski 2008
 - ▶ Lagrangian: Shima et al. 2009 (Monte-Carlo coalescence)

libcloudph++: summary

key features:

- ▶ three schemes (all written from scratch):
 - ▶ 1-moment: Kessler
 - ▶ 2-moment: Morrison & Grabowski 2008
 - ▶ Lagrangian: Shima et al. 2009 (Monte-Carlo coalescence)
- ▶ Lagrangian scheme optionally GPU-resident (via Thrust)

libcloudph++: summary

key features:

- ▶ three schemes (all written from scratch):
 - ▶ 1-moment: Kessler
 - ▶ 2-moment: Morrison & Grabowski 2008
 - ▶ Lagrangian: Shima et al. 2009 (Monte-Carlo coalescence)
- ▶ Lagrangian scheme optionally GPU-resident (via Thrust)
- ▶ compact code (500 / 1000 / 4500 lines of code)

libcloudph++: summary

key features:

- ▶ three schemes (all written from scratch):
 - ▶ 1-moment: Kessler
 - ▶ 2-moment: Morrison & Grabowski 2008
 - ▶ Lagrangian: Shima et al. 2009 (Monte-Carlo coalescence)
- ▶ Lagrangian scheme optionally GPU-resident (via Thrust)
- ▶ compact code (500 / 1000 / 4500 lines of code)
- ▶ written using Boost.units – compile-time dimensional analysis

libcloudph++: summary

key features:

- ▶ three schemes (all written from scratch):
 - ▶ 1-moment: Kessler
 - ▶ 2-moment: Morrison & Grabowski 2008
 - ▶ Lagrangian: Shima et al. 2009 (Monte-Carlo coalescence)
- ▶ Lagrangian scheme optionally GPU-resident (via Thrust)
- ▶ compact code (500 / 1000 / 4500 lines of code)
- ▶ written using Boost.units – compile-time dimensional analysis
- ▶ reusable:
 - ▶ design: no assumptions on dimensionality or dyn-core type
 - ▶ documentation: API described in the paper/manual
 - ▶ legal/practical matters: open source, GPL, hosted on github

near-future plans

maintenance (Sylwester)

- ▶ unit test automation
- ▶ 1.0.0 release (May 2015?)

coalescence (Piotr)

- ▶ implement additional kernels (Pinsky, Vohl,...)
- ▶ include turbulence effects
(AW kernel, may require modification of the method)
- ▶ include effect of van der Waals forces (Rogers, 1990)

aqueous chemistry (Ania)

- ▶ finalise implementation (proof-of-concept simulations done)
- ▶ chemistry-coalescence aerosol-processing study

Thank you for your attention!

- ▶ <http://arxiv.org/abs/1310.1905>
- ▶ <http://geosci-model-dev-discuss.net/7/8275/>